

東莞永力電業有限公司

YUNG LI CO., LTD

**Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C**

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

Description: YP-35/YC-12

Customer: MAG

Parts No. : CB-N-AUS-5M


Draw No. : CY-S0457

REVISION RECORD



1		
2		
3		
4		
5		

YUNG LI	
CHECKED	PREPARED BY

CUSTOMER	APPROVED



外箱標籤:每箱貼一張






NO.	SPECIFICATION	QTY	REMARK
1	H05VV-F 1.0/3C BLACK	1PC	
2	YP-35 PVC PLASTIC:50P BLACK	32g/PC	
3	YP-35 INNER BODY WHITE	1PC	
4	SAA TER:P97658BS-1	2PCS	
5	SAA TER:98658BS-1	1PC	
6	SLEEVE:3PIN WHITE	1PC	
7	YC-12 PVC PLASTIC:50P BLACK	18g/PC	
8	"U" TER:97740BS-0	3PCS	
9	YC-12 INNER BODY	1PC	
10	MINI TIE:L=210mm BLACK	1PC	
11	LABEL:50X30mm 128Code	1PC	Label-7771
12	BOX LABEL:60X60mm	1PC	包裝打印





TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO.,LTD			
	CHECKED		DATE					
	DRAWN	SUKI	DATE	24.06.27	CUSTOMER	MAG		
	TYPE	YP-35/YC-12			P/N	CB-N-AUS-5M		
	DRAWING NO.	CY-S0457	REV	B	MATERIAL	P. V. C	UNIT	mm
				HEFT(g)				

認證號:

NSW17967



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN	陳守瑞	DATE	24.06.13				
	TYPE	YP-35			P/N			
DRAWING NO				MATERIAL	P.V.C	UNIT	mm	
				SCALE	1:1			



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YC-12 (NSW)			P/N	MAG		
	DRAWING NO.		REV	B	SCALE	P. V. C	UNIT	mm

SCALE	1:1	UNIT	mm
-------	-----	------	----

YUNG LI CO., LTD

SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2019.04.16			
Edition	Size	H05VV-F 3G 1.0mm²	Page
A			1/2

1. Standard: IEC 227 IEC228

2. Construction & Dimension

	Item	Specification
Conductor	Size	3G 1.0mm ²
	Material	Annealed Bare Copper
	Construction	32/ ϕ 0.202±0.008
Insulation	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.48mm
	Diameter	2.50 ± 0.10
	Identification	Blue,Brown,Green/Yellow
Core Assembly	Core Twist	3-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	NA
	Minimum Average Thickness	0.8mm
	Minimum Thickness at any point	0.58mm
	Overall Diameter(Approx)	7.0± 0.2
	Color	Any Color

Marking:

Yung Li Co., Ltd. H05VV-F 3G 1.0mm² <VDE> NF-USE 1347 KEMA-KEUR CEBC <OVE>

IEMMEQU SAA-190646-EA A004049 60227 IEC 53(RVV) 300/500V SU01027-4002

YUNG LI CO., LTD


SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2019.04.16			
Edition	Size	H05VV-F 3G 1.0mm²	Page
A			2/2

4. Electrical & Physical Properties

Item	Specification		
Rating Voltage	70°C 300/500V		
Conductor resistance(AT 20°C)	19.5Ω/Km MAX		
Insulation Resistance(AT 70°C)	0.010MΩ/Km Min		
Dielectric Strength	AC 2.0 KV / 15 min No Break		
Spark Test	5.0KV		
Insulation	Unaged	Tensile Strength	1.02 kgf/mm ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
Jacket	Unaged	Tensile Strength	1.02 kgf/mm ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
	Loss of mass Test		2.0mg/cm ² (max)
Deformation Test		70±4°C X 1hr ≤ 50%	
Cold Bend Test		-15°C x 4hr No Crack	
Heat Shock Test		150±2°C x 1hr No Crack	

Graph:





CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Plug

DESCRIPTION OF ARTICLE:

Plug (Insulated Pin)

[Non-rewirable, three-pin, flat-pin (two-insulated live pins), black thermoplastic moulded plug with a white thermoplastic insert, integrally moulded to any <HAR> certified H05VV-F 3G0.75mm², or Australian approved three-core, 0.75mm², PVC insulated and sheathed, ordinary duty circular flexible cord] 250V, 10A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 3112 : 2000

TYPE REFERENCE CODE: Type No. YP-35

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number N17967 or N14876

DATE OF APPROVAL: 25 September 2001

This approval expires 25 September 2006 unless suspended, cancelled, renewed or extended.


for **DIRECTOR-GENERAL**



DEPARTMENT OF **FAIR TRADING**
NSW Consumer Protection Agency

ADDENDUM TO CERTIFICATE OF APPROVAL No 17967

Particulars of Modification(s)

1. **Original Type No. YP-35 alternatively moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-**
 - (a) H05VV-F 3G1.00mm².
 - (b) H05VV-F 2X0.75mm².
 - (c) H05VV-F 2X1.00mm².
 - (d) H03VV-F 3G0.75mm².
 - (e) H03VV-F 2X0.75mm².
 - (f) H05VVH2-F 2X1.00mm²
 - (g) H05VVH2-F 2X0.75mm²

2. **Type YP-36 being similar to original Type No. YP-35 except two-pin in lieu of three-pin, and alternatively moulded to any of the following <HAR> certified or Australian approved flexible cords:-**
 - (a) H03VVH2-F 2X0.75mm².
 - (b) H05VVH2-F 2X0.75mm².
 - (c) H05VVH2-F 2X1.00mm².
 - (d) H03VV-F 2X0.75mm².
 - (e) H05VV-F 2X0.75mm².
 - (f) H05VV-F 2X1.00mm².

Approved: 25 September 2001

for **DIRECTOR-GENERAL**



OFFICE OF FAIR TRADING

NSW Consumer Protection Agency
Department of Commerce

ADDENDUM TO CERTIFICATE OF APPROVAL No 17967

Particulars of Modification(s)

Model No. YP-36 to use the alternative approval mark N15572.

Approved: 03 March 2005

A handwritten signature in black ink, appearing to be 'R. K.', is written over the text 'Approved: 03 March 2005'.

for Commissioner

Ref: 17967/3

ADDENDUM TO CERTIFICATE OF APPROVAL 17967

Particulars of Modification(s)

- (a) **Original Type No. YP-35 alternatively moulded to a 'Yung Li' Type H05VV-F 3G1.5mm² flexible cord (Q04083).**
- (b) **General Modification:
Plugs now comply with AS/NZS3112 : 2004.**

Approved: 01 May 2006



for Commissioner for Fair Trading

ADDENDUM TO CERTIFICATE OF APPROVAL 17967

Particulars of Modification(s)

1. Type YP-35 alternatively moulded to any <HAR> certified H05RR-F 3G1.00mm² or equivalent Australian approved flexible cord.
2. Type YP-39 being similar to Type YP-35 except :-
 - (a) Having 15A in lieu of 10A construction.
 - (b) Marked 15A in lieu of 10A.
 - (c) Alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm² or H05RR-F 3G1.5mm² or equivalent Australian approved flexible cords.
3. General Modification.
Plugs now comply with AS/NZS3112:2001 A1

Approved: 10 May 2007



for Commissioner for Fair Trading



Fair
Trading

Ref: NSW17967/8

FILE COPY

ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967 Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm² or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-35L is identical to YP-35 except for cord connection of side-entry type in lieu of straight-entry. It can be moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm², or H05RR-F 3G0.75/1.0/1.5mm², or H05VV-F 3G0.75/1.0/1.5mm², or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-36 is alternatively moulded to any <HAR> certified H05RN-F 2x0.75/1.0mm² or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-39 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm², or H05VV-F 3G2.5mm², or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour.

This certificate will expire on 25/09/2016

Approved: 17 July 2013



18/7/2013

For Commissioner for Fair Trading



Fair
Trading

Ref: NSW17967/13

ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967 Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05Z1Z1-F 3G0.75/1.0/1.5mm² or equivalent Australian approved flexible cord.

General modification:

1) Certificate now complies with AS/NZS 3112: 2017+A1:2021 and AS/NZS 3100:2017+A1:2017+A2:2019+A3:2020.

2) Certificate NSW27916 now being added as an alternative cable certificate.

This certificate will expire on 14/04/2026

Approved pursuant to Clause 15 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018:

 14 March 2023

For Secretary, Department of Customer Service

ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung Li Co. Ltd.
No. 32 Dapu Industrial St., Changping Town
523571 Dongguan City
Guangdong
China

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



und/oder - and/or




Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN IEC 60320-1 (VDE 0625-1):2023-06; EN IEC 60320-1:2021

Das Produkt erfüllt auch die Anforderungen nach /
The product also fulfills the requirements of

IEC 60320-1:2021



Aktenzeichen: 1609800-1550-0003 / 305888

File ref.:

Ausweis-Nr. 40029577

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-03-05

(letzte Änderung / updated 2024-01-17)

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

M. Ackermann

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0003 / 305888 / TL3 / E

letzte Änderung / *updated*

2024-01-17

Datum / *Date*

2010-03-05

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.

This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.

Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

Typ(en) / *Type(s)*

- 1) YC-12
- 2) YC-12L
- 3) YC-12L-1
- 4) YC-12L-2
- 5) YC-12L-3

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

10 A

Polzahl
Number of poles

2-polig mit Schutzkontakt
2-pole with earthing contact

Bauart
Kind of construction

Normblatt C13
standard sheet C13

Ausführung(en)
Construction(s)

zentrale Leitungseinführung
straight cable entry
Für / for 1)

abgewinkelte Leitungseinführung
angled cable entry
Für / for 2), 3), 4), 5)

Fortsetzung siehe Blatt 3 /
continued on page 3

VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. / Page
40029577 3

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0003 / 305888 / TL3 / E

letzte Änderung / *updated*

2024-01-17

Datum / *Date*

2010-03-05

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.

This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.

Warenzeicheninhaber
Trademark holder

Yung Li Co. Ltd.

Produktinformation

siehe Anlagen Nr. 300 + 700 + 701 + 702 + 900
vom 2024-01-17.

Product information

*see Appendix No. 300 + 700 + 701 + 702 + 900
dated 2024-01-17.*

Dieser Zeichengenehmigungsausweis bildet eine Grundlage für die EU-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten.

This Marks Approval is a basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent.

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0003 / 305888 / TL3 / E

letzte Änderung / *updated*

2024-01-17

Datum / *Date*

2010-03-05

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40029577.

This supplement is part of the Certificate No. 40029577.

Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

Fertigungsstätte(n)

Place(s) of manufacture

Referenz/*Reference*
30008928

Yung Li Co. Ltd.
No. 32 Dapu Industrial St., Changping Town
523571 DONGGUAN CITY
Guangdong
CHINA

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung Li Co. Ltd., No. 32 Dapu Industrial St., Changping Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / File ref.

1609800-1550-0003 / 305888 / TL3 / E

letzte Änderung / updated

2024-01-17

Datum / Date

2010-03-05

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029577.

This supplement is only valid in conjunction with page 1 of the Certificate No. 40029577.

Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH (www.vde.com\AGB-Institut). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

Approval to use the legally protected Mark of the VDE as shown on the first page:

Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute (www.vde.com\terms-institute). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.

The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).

The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.

Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.

The approval is solely signed on the first page.

Certificate Number: 22012

CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO THE ELECTRICITY (CONSUMER SAFETY) ACT 2004

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance Connector
(Non-rewirable, straight entry, Group 1, C13 appliance connector for cold conditions for Class I equipment integrally moulded to any <HAR> certified H05VV-F 3G1.00mm² or Australian approved three-core, 1.00mm², PVC insulated and sheathed ordinary duty circular flexible cord)
250V, ac, 10A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 60320.1 : 2004

TYPE REFERENCE CODE: Type No. YC-12

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number NSW22012 or N14877 ;or
the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

DATE OF APPROVAL: 31 October 2006

This approval expires 31 October 2011 unless suspended, cancelled, renewed or extended.



for Commissioner for Fair Trading

Ref: 22012/1

ADDENDUM TO CERTIFICATE OF APPROVAL 22012**Particulars of Modification(s)**

1. Type No. YC-12 alternatively moulded to any <HAR> certified H05VV-F 3G0.75mm² or Australian approved, three-core, 0.75mm², PVC insulated and sheathed ordinary duty circular flexible cord not exceeding two metres in length.

2. Type No. YP-32 being similar to original Type No. YC-12 except a Standard Sheet 'E' Interconnection Plug Connector (AS/NZS 60320.2.2) alternatively moulded to either:-
 - (a) Any <HAR> certified H05VV-F 3G1.00mm² or equivalent Australian approved flexible cord; or
 - (b) Any <HAR> certified H05VV-F 3G0.75mm² or equivalent Australian approved flexible cord not exceeding two metres in length.

3. Type No. YC-12 alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm² or Australian approved three-core, 1.5mm², PVC insulated and sheathed ordinary duty circular flexible cord.

Approved: 31 October 2006



for Commissioner for Fair Trading



Fair
Trading

Ref: NSW22012/4

RENEWAL OF CERTIFICATE OF APPROVAL: NSW22012

Particulars of Renewal

The approval of the original appliance connector Model YC-12 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 31/10/2026 unless it is renewed, extended, suspended or cancelled.

Approved pursuant to Clause 11 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018

6 August 2021

For Secretary, Department of Customer Service



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-190646-EA

Certificate Holder: Yung Li Co., Ltd.
Dapu Industrial Zone, Gangzi,
Changping Town, Dongguan City,
Guangdong Province,
P.R. China

Regulatory Definition: Supply Flexible Cord

Product Description: Polyvinyl chloride sheathed cord

Standard/s: AS/NZS IEC 60227.5:2019

Condition/s: Nil

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-190646-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 22 March 2019

Expiry Date: 22 March 2029

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 16-01-24 190646
Renewed Page 1 of 2



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating/Marking
H05VV-F 2x2.5mm ²	Yung LI	300/500V
H03VVH2-F 2x0.5mm ²	Yung LI	300/300V
H03VVH2-F 2x0.75mm ²	Yung LI	300/300V
H03VV-F 2x0.5mm ²	Yung LI	300/300V
H03VV-F 2x0.75mm ²	Yung LI	300/300V
H03VV-F 3x0.5mm ²	Yung LI	300/300V
H03VV-F 3x0.75mm ²	Yung LI	300/300V
H05VVH2-F 2x0.75mm ²	Yung LI	300/500V
H05VVH2-F 2x1.0mm ²	Yung LI	300/500V
H05VV-F 2x0.75mm ²	Yung LI	300/500V
H05VV-F 2x1.0mm ²	Yung LI	300/500V
H05VV-F 2x1.5mm ²	Yung LI	300/500V
H05VV-F 3x0.75mm ²	Yung LI	300/500V
H05VV-F 3x1.0mm ²	Yung LI	300/500V
H05VV-F 3x1.5mm ²	Yung LI	300/500V
H05VV-F 3x2.5mm ²	Yung LI	300/500V

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 16-01-24 190646
Renewed Page 2 of 2